

Air Conditioning & Heating Replacement Parts

Condensers

| Condenser Applications | 230 |
|--------------------------|-----|
| Condenser Coils | 232 |
| Condenser Specifications | 243 |
| Multi-Flow Condensers | 246 |
| Mounting Hardware | 247 |
| Typical header Types | 247 |
| Service Tips | 247 |
| Condenser Fan Assemblies | 248 |



Condenser Quick Cross Reference and Application Guide

| PART NO. | OEM | OEM NO. | APPLICATION |
|----------|-------------|---------------------------------|--|
| CASE | | | |
| 1599010 | CASE | 97213C2 | WHEEL LOADER |
| 1599017 | CASE | 298690A1 | SKID STEER |
| CATERPIL | _LAR | | |
| 1599018 | CATERPILLAR | 9X-3439 | ALL W/OEM# |
| 1599019 | CATERPILLAR | 166-5814 | ALL W/OEM# |
| 1599020 | CATERPILLAR | 124-8492 | ALL W/OEM# |
| 1599021 | CATERPILLAR | 115-4851 | ALL W/OEM# |
| 1599022 | CATERPILLAR | 9X-3450 | ALL W/OEM# |
| 1599022 | CATERPILLAR | 103-8519-04 | ALL W/OEM# |
| | CATERPILLAR | 101-9619 | ALL W/OEM# |
| 1599024 | | | |
| 1599025 | CATERPILLAR | 107-1995 | ALL W/OEM# |
| 1599026 | CATERPILLAR | 7G-3478 | ALL W/OEM# |
| 1599027 | CATERPILLAR | 111-8613 | ALL W/OEM # |
| 1599028 | CATERPILLAR | 7G-3480 | ALL W/OEM# |
| 1599029 | CATERPILLAR | 103-9527 | ALL W/OEM # |
| 1599030 | CATERPILLAR | 1Q-1934 | ALL W/OEM# |
| CHEVY/GI | МС | | |
| 1510014 | CHEVY/GMC | 3058197 | SERIES 80-95 BRIGA- DIER, BRUIN MODELS |
| 1510016 | CHEVY/GMC | 3096190 | SERIES 40-75 |
| 1510012 | CHEVY/GMC | 3042163 | SERIES 80-95 BRIGA- DIER, BRUIN MODELS |
| 1510001 | CHEVY/GMC | 52471230 | C/K 10-35 |
| 1510002 | CHEVY/GMC | 52458717 | C,K SUBURBAN / PICKUP, BLAZER, TAHOE |
| 1510003 | CHEVY/GMC | 52455842 | C/K 10-35 |
| 1510004 | CHEVY/GMC | 3059855 | C/K 10-35 |
| 1510005 | CHEVY/GMC | 3053292 / 3053293 | R, V / PICKUP, BLAZER SUBURBAN |
| 1510006 | CHEVY/GMC | 52457928 | G SERIES FULL SIZE VAN |
| 1510007 | CHEVY/GMC | 3053039 / 3055310 / 52450903 | G SERIES FULL SIZE VAN |
| 1510008 | CHEVY/GMC | 3057628 / 52450904 | G SERIES FULL SIZE VAN |
| 1510009 | CHEVY/GMC | 52474647 / 52462672 | S 10 PICKUP |
| 1510010 | CHEVY/GMC | 3048188 / 52456126 | S10 PICKUP |
| 1510011 | CHEVY/GMC | 52464973 | C SERIES |
| 1510013 | CHEVY/GMC | 3039456 | SERIES 80-95 BRIGA- DIER, BRUIN MODELS |
| 1510015 | CHEVY/GMC | 52450299 | SERIES 40-75 |
| FORD | | | |
| 1511001 | FORD | E8UZ-19712-B | E, F SERIES |
| 1511002 | FORD | F6TZ-19712-BA | F150 - 350 |
| 1511003 | FORD | E7HZ-19712-E | L SERIES |
| 1511003 | FORD | E7HZ-19712-G | L SERIES |
| 1511005 | FORD | F4HZ-19712-A | L SERIES |
| 1511005 | FORD | F2HZ-19712-A | L SERIES |
| 1511007 | FORD | F6HT-19710B-A | AEROMAX L8000 |
| 1511007 | FORD | E1HZ-19712-A | L SERIES |
| | | | |
| 1511009 | FORD | E4HZ-19712-C | L SERIES |
| 1511010 | FORD | E4HZ-19172-B | L SERIES |
| 1511011 | FORD | E7HZ-19712-A | C/CL/CLT/CT |
| 1511012 | FORD | E7HZ-19712-F | L SERIES |
| 1511013 | FORD | E8HZ-19712-B | C/CL/CLT/CT |
| 1511014 | FORD | F0HZ-19712-F | L SERIES |
| 1511015 | FORD | F0HZ-19712-D | C/CL/CLT/CT |
| 1599001 | FORD | F65Z-19712-ABC | F150 - 350 |
| 1511016 | FORD | E7TZ-19712-A, E9TZ- 19712-B | F150 - 350 |
| | | | |

| PART NO. | OEM | OEM NO. | APPLICATION |
|-----------------------|---------------|------------------------------|-------------------------------|
| FREIGHTL | INER | | |
| 1512001 | FREIGHTLINER | 22-39302-001 | FLD SERIES |
| 1512002 | FREIGHTLINER | 22-32466-001 | FLD SERIES |
| 1512003 | FREIGHTLINER | 22-42084-002 | C SERIES |
| 1512004 | FREIGHTLINER | A22-24885-0 | FLB SERIES |
| 1512005 | FREIGHTLINER | 22-43941-000 | FLD112 |
| 1512006 | FREIGHTLINER | A22-25339-000 | ALL W/OEM# |
| 1512007 | FREIGHTLINER | 681-830-00-20 | FLP, FLT SERIES |
| 1518001 | FREIGHTLINER | A22-14434-1, A22- 25255-0 | FLC, W SERIES |
| 1599011 | FREIGHTLINER | 680-830-03-70 | FL SERIES (BUSINESS CLASS) |
| INTERNAT | TIONAL | | |
| 1513001 | INTERNATIONAL | 3504377C1 | 9000 SERIES |
| 1513002 | INTERNATIONAL | 1618820C5 | ALL W/OEM# |
| 1513003 | INTERNATIONAL | 3504370C2 | ALL W/OEM# |
| 1513004 | INTERNATIONAL | 2009378C2 | 9300 SERIES |
| 1513005 | INTERNATIONAL | 2000994C3 | ALL W/OEM# |
| 1513006 | INTERNATIONAL | 3509453C1 | ALL W/OEM# |
| 1513007 | INTERNATIONAL | 1667340C5 | 4000 SERIES |
| 1513008 | INTERNATIONAL | 2000655C2 | 4000 SERIES |
| 1513009 | INTERNATIONAL | 2004801C3 | 2000, 8000 SERIES |
| 1513010 | INTERNATIONAL | 1652584C92 | 2000 SERIES |
| 1513011 | INTERNATIONAL | 1675462C2 | 8000 SERIES |
| 1513012 | INTERNATIONAL | 454625C3 | 4000 SERIES |
| 1513013 | INTERNATIONAL | 481954C5 | 4000 SERIES |
| 1513014 | INTERNATIONAL | 2505650C92 | 8000 SERIES |
| 1513016 | INTERNATIONAL | 1674253C2 | 8000 SERIES |
| 1513017 | INTERNATIONAL | 2004801C4 | 8000 SERIES |
| 1513017 | INTERNATIONAL | 1677378C93 | 9000 SERIES |
| 1513018 | INTERNATIONAL | 586908C92 | 9000 SERIES |
| 1513019 | INTERNATIONAL | 557335C91 | 9000 SERIES |
| 1513020 | INTERNATIONAL | 1649161C93 | 9000 SERIES |
| 1513021 | INTERNATIONAL | 501118C1, C3 | 9000 SERIES 9000 SERIES |
| 1513022 | INTERNATIONAL | 1619609C93 | 9000 SERIES |
| 1513023 | INTERNATIONAL | 501117C2 | 9000 SERIES |
| 1513024 | INTERNATIONAL | 1647142C91 | 9000 SERIES 9000 SERIES |
| | INTERNATIONAL | | S, S2000 SERIES |
| 1513026 | | 483479C2 | S, 52000 SERIES ALL W/OEM # |
| 1513027 | INTERNATIONAL | 2507482C91 | |
| 1513028 KENNAODI | INTERNATIONAL | 2586812C91 | ALL W/OEM # |
| KENWOR 1514001 | KENWORTH | K122-51 | K100 |
| | KENWORTH | | |
| 1514002 | | K122-70 | K100 |
| 1514003 | KENWORTH | K122-47 | K100 |
| 1514004 | KENWORTH | K122-90 | C500 |
| 1514005 | KENWORTH | K122-81 | T600 GRILLDENSER |
| 1514006 | KENWORTH | K122-82 | T800 |
| 1514007 | KENWORTH | K122-93 | T450 |
| 1514008 | KENWORTH | K122-79 | T600 |
| 1514009 | KENWORTH | K122-84 | T800 |
| 1514011 | KENWORTH | K122-124 | T600,T800 |
| 1514012 | KENWORTH | K122-123 | T600 GRILLDENSER |
| 1514013 | KENWORTH | K122-102 | T800 W/DUAL PAS- SANGER |
| 1514014 | KENWORTH | K122-104 | T600,T800 |
| 1514015 | KENWORTH | K122-143 | T800W, C500W |
| 1514016 | KENWORTH | K122-128 | T300 |
| 1514017 | KENWORTH | K122-125 | T400, T600 |
| 1514018 | KENWORTH | K122-64 | W900 |
| 1514019 | KENWORTH | K122-62 | W900 GRILLDENSER |
| 1514020 | KENWORTH | K122-98 | W900 |
| 1514021 | KENWORTH | K122-121 | W900 |
| 1514022 | KENWORTH | 486684-5008 | T2000 |
| | | | |

CONDENSERS









Condenser Quick Cross Reference and Application Guide

| PART NO. | OEM | OEM NO. | APPLICATION |
|----------|---------|--------------------------|-----------------|
| KOMATSU | J | | |
| 1599031 | KOMATSU | 1439697H1, 1431742H2 | ALL W/OEM# |
| KYSOR | | | |
| 1517004 | KYSOR | 401031 | KYSOR |
| 1575001 | KYSOR | 401023 | KYSOR |
| 1575002 | KYSOR | 401024 | KYSOR |
| 1575002 | KYSOR | 401024 | KYSOR |
| 1575003 | KYSOR | 401025 | KYSOR |
| 1575004 | KYSOR | 401041 | KYSOR |
| 1575005 | KYSOR | 401043 | KYSOR |
| 1575006 | KYSOR | 401075 | KYSOR |
| 1575007 | KYSOR | 401077 | KYSOR |
| 1575008 | KYSOR | 401080 | KYSOR |
| 1575009 | KYSOR | 401102 | KYSOR |
| 1575010 | KYSOR | 401119 | KYSOR |
| 1575011 | KYSOR | 401054 | KYSOR |
| 1575013 | KYSOR | 401040 | KYSOR |
| 1575014 | KYSOR | 401121 | KYSOR |
| 1575015 | KYSOR | 401039 | KYSOR |
| 1575016 | KYSOR | 401114 | KYSOR |
| 1575017 | KYSOR | 401076 | KYSOR |
| 1575018 | KYSOR | 401094 | KYSOR |
| 1575019 | KYSOR | 401044 | KYSOR |
| 1575019 | KYSOR | 401109 | KYSOR |
| 1575022 | KYSOR | 401059 | KYSOR |
| 1575023 | KYSOR | 401065 | KYSOR |
| 1575023 | KYSOR | 401100 | KYSOR |
| 1599002 | KYSOR | 401034 | KYSOR |
| 1599004 | KYSOR | 401030 | KYSOR ROOFTOP |
| 1399004 | KIOOK | 401030 | KC100 |
| 1599005 | KYSOR | 401036 | KYSOR |
| 1599006 | KYSOR | 401029 | KYSOR |
| 1599007 | KYSOR | 401049 | KYSOR |
| 1599008 | KYSOR | 401052 | KYSOR |
| 1599009 | KYSOR | 401086 | KYSOR |
| 1599100 | KYSOR | 416825 | KYSOR |
| MACK | | | |
| 1515002 | MACK | 210RD411M | CH SERIES |
| 1515003 | MACK | 210RD412 | DH SERIES |
| 1515004 | MACK | 210RD510/54M | CH SERIES |
| 1515005 | MACK | 210RD56M | CH SERIES |
| 1515006 | MACK | 210RD418 | ALL W/OEM# |
| 1515007 | MACK | 210RD421M | CH SERIES |
| 1515007 | MACK | 210RD410M | DM,RB,RD SERIES |
| 1515000 | MACK | 210RD413 | MC,MR SERIES |
| 1515009 | MACK | 210RD413 | R,U,DM SERIES |
| 1515010 | MACK | 210RD49A 210RD49302P2 | RW SERIES |
| 1515011 | MACK | 210RD49302F2 | MH SERIES |

| PETERBIL | т. | | |
|----------|--------------|--------------|---|
| 1517001 | PETERBILT | 18-02074 | 359 SERIES |
| 1517003 | PETERBILT | RD4-3724-0 | 300 SERIES W/RED DO COND. |
| 1517005 | PETERBILT | 18-03093 | 357,377,378,379,385 CONV. |
| 1517007 | PETERBILT | 18-03012 | 357,377,378,379,385 CONV. |
| 1517008 | PETERBILT | 18-03543 | 357,377,378,379,385 CONV. |
| 1517009 | PETERBILT | 18-03544 | 357,377,378,379,385 CONV. |
| 1517011 | PETERBILT | 18-04015 | 357,377,378,379,385 CONV. |
| 1517012 | PETERBILT | 1E4582 | 387 SERIES |
| 1599003 | PETERBILT | RD4-4161-0 | MID RANGER LOW CAE FORWARD |
| RED DOT | | | |
| 1517002 | RED DOT | RDG-7024-0 | RED DOT |
| UTILIMAS | TER | | |
| 1599032 | UTILIMASTER | 401105 | VAN |
| VOLVO | | | |
| 1518003 | VOLVO | 61203-0003 | RBII, RCII, RXII SERIES |
| 1518005 | VOLVO | 61203-0031 | ALL W/OEM# R12 |
| 1518006 | VOLVO | 61203-0029 | ALL W/OEM# |
| 1518007 | VOLVO | 61203-3211 | ALL W/OEM# R12 |
| 1518008 | VOLVO | 8022509 | ALL W/OEM# |
| 1518009 | VOLVO | 8164786 | ALL W/OEM# & FIT- TINGS ON OPP. SIDE |
| 1518010 | VOLVO | 3092918 | VN SERIES |
| 1518011 | VOLVO | 8074693 | VN SERIES |
| 1518012 | VOLVO | 8157100 | ALL W/OEM# |
| 1518013 | VOLVO | 61203-3207 | ALL W/OEM# |
| 1518014 | VOLVO | 61203-0012 | ALL W/O AIR TO AIR AFTERCOOLER |
| 1518015 | VOLVO | 61203-3209 | ALL W/OEM# |
| 1518016 | VOLVO | 61203-3203 | ALL W/OEM# |
| 1518017 | VOLVO | 3086000 | AUTOCAR |
| 1518018 | VOLVO | 61203-3210 | ALL W/OEM # |
| 1518019 | VOLVO | 61203-0030 | ALL W/OEM # |
| 1599005 | VOLVO | 61203-3001,2 | RBII, WAH, WCA, WG, WIA |
| WESTERN | I STAR | | |
| 1519001 | WESTERN STAR | 61203-3403 | ALL W/OEM# |







Ross Air works www.rossairworks.com p 800-290-9798 231

Part No. 1510001 Part No. 1510002 Part No. 1510003 Length (A) 28" Length (A) 28 1/2" Length (A) 28 1/2" Width (B) 16" Width (B) 16" Width (B) 15 1/2" Thickness 1" Thickness 1 1/8" Thickness 1 1/8" Inlet N/A Inlet N/A Inlet N/A Outlet N/A Outlet N/A Outlet N/A Part No. 1510004 Part No. 1510005 Part No. 1510006 Length (A) 28 1/2" Length (A) 26 3/4" Length (A) 31 1/2" Width (B) 16" Width (B) 14" Width (B) 16" Thickness 1 1/8" Thickness 1 3/8" Thickness 1 1/2" Inlet N/A Inlet N/A Inlet N/A Outlet N/A Outlet N/A Outlet N/A Part No. 1510007 Part No. 1510008 Part No. 1510009 Length (A) 26 3/8" Length (A) 26 3/8" Length (A) 26 1/4" Width (B) 14" Width (B) 14" Width (B) 14" Thickness 1 1/4" Thickness 1 1/4" Thickness 1 1/8" Inlet N/A Inlet N/A Inlet N/A Outlet N/A Outlet N/A Outlet N/A Part No. 1510010 Part No. 1510011 Part No. 1510013 Length (A) 26 1/2" Length (A) N/A Length (A) 36 1/2" Width (B) 14" Width (B) N/A Width (B) 22" Thickness 1 3/8" Thickness N/A Thickness 384" Inlet N/A Inlet N/A Inlet Male O-Ring Outlet N/A Outlet N/A Outlet Male O-Ring

CONDENSERS

Part No. 1510014 Part No. 1510015 Part No. 1510016 Length (A) 36 1/2" Length (A) 24" Length (A) 25" Width (B) 22" Width (B) 18" Width (B) 16" Thickness 3/4" Thickness 1 3/8" Thickness 1" Inlet Male O-Ring Inlet Male O-Ring Inlet Male O-Ring Outlet Male O-Ring Outlet Male O-Ring Outlet Male O-Ring Part No. 1511001 Part No. 1511002 Part No. 1511004 Length (A) 27" Length (A) 24 3/4" Length (A) 31 1/2" Width (B) 17 1/4" Width (B) 17 1/2" Width (B) 25 3/4" Thickness 1" Thickness 1 1/4" Thickness N/A Inlet N/A Inlet N/A Inlet Male O-Ring Outlet N/A Outlet N/A Outlet Male O-Ring Part No. 1511005 Part No. 1511006 Part No. 1511008 Length (A) 27" Length (A) 26 1/2" Length (A) 32" Width (B) 22" Height (B): 21" Width (B) 22" Thickness 1" Thickness 1" Thickness 3/4" Inlet Male O-Ring Inlet No. 8 FSL Inlet Male O-Ring Outlet Male O-Ring Outlet No. 8 FSL Outlet Male O-Ring Part No. 1511009 Part No. 1511010 Α

Length (A) 32"

Width (B) 22"

Thickness 3/4"

Inlet Female O-Ring

Outlet Female O-Ring







В

233





Length (A) 32"

Height (B): 22"

Thickness 3/4"

Inlet Female O-Ring

Outlet Female O-Ring-


Part No. 1511011 Part No. 1511012 Part No. 1511013 Length (A) 24 3/4" Length (A) 29" Length (A) 21" Width (B) 32" Width (B) 19 3/4" Height (B): 18" Thickness 1" Thickness 1" Thickness 1" Inlet Male O-Ring Inlet Male O-Ring Inlet N/A Outlet Male O-Ring Outlet Male O-Ring Outlet N/A Part No. 1511014 Part No. 1511015 Part No. 1512003 Length (A) 29 3/4" Length (A) 34" Length (A) 29" Width (B) 32 1/8" Width (B) 20" Width (B) 20" Thickness 1" Thickness 1" Thickness 1" Inlet Male O-Ring Inlet N/A Inlet Male O-Ring Outlet Male O-Ring Outlet N/A Outlet Male O-Ring Part No. 1512004 Part No. 1512006 Part No. 1512007 Length (A) 24 1/2" Length (A) 24 1/2" Length (A) 29 1/4" Width (B) 15" Width (B) 15" Width (B) 20" Thickness 1 3/8" Thickness 3/4" Thickness 1" Inlet Male O-Ring Inlet Male O-Ring Inlet Male O-Ring Outlet Male O-Ring Outlet Male O-Ring Outlet Male O-Ring Part No. 1513004 Part No. 1513001 Part No. 1513002 Length (A) N/A Length (A) N/A Length (A) 26" Width (B) N/A Width (B) 27" Width (B) N/A Thickness N/A Thickness N/A Thickness 3/4" Inlet N/A Inlet N/A Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

CONDENSER


Outlet N/A


Outlet N/A

Part No.1513005 Length (A) N/A Width (B) N/A Thickness N/A Inlet N/A Outlet N/A Length (A) 28" Width (B) 25" Thickness N/A Inlet N/A Outlet N/A













GONDENSERS

Condenser Coils





p 800-290-9798

Part No. 1514007



Length (A) 30 21/32" Width (B) 8 15/32"

Thickness 1 1/4"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514008



Length (A) 33 5/8"
Width (B) 35 13/16"

Thickness 51/94"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514011



Length (A) 36 11/32"

Width (B) 42 1/8"

Thickness 51/64"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514012



Length (A) 36 11/32" Width (B) 42 1/8"

Thickness 51/64"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514013



Length (A) 41 13/6"

Width (B) 29"

Thickness 59/64"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514014



Length (A) 29 5/8"

Width (B) 10 5/16"

Thickness 1 9/32"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514015



Length (A) 32 1/12"

Width (B) 20 11/16"

Thickness 45/64"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514016




Length (A) 32 9/32"

Width (B) 17 41/64"

Thickness 1 1/4"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514017



Length (A) 32 1/2"

Width (B) 20 11/16"

Thickness 45/64"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514018



Length (A) 43 7/32"

Width (B) 36"

viutii (B)

Thickness 3/4"

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1514019




Length (A) 43 1/2"

Width (B) 38 3/32"


Thickness 27/32"

Ross Air works

Inlet No. 8 (3/4"-16) Male O-Ring
Outlet No. 6 (5/8"-18) Male O-Ring







Part No. 1517007

Length (A) 25"

Width (B) 12 1/4"

Thickness 1 3/4"

Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring



Part No. 1517004

Part No. 1517009

Length (A) 18"

Width (B) 27 3/16"

Thickness 2 1/4

Inlet N/A

Outlet N/A



Length (A) 31 5/8"

Width (B) 8 19/32"

Thickness 13/16"

Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1517008

Part No. 1517003



Length (A) 32 45/64"

Width (B) 8 7/16"

Thickness 1 1/8"

Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Length (A) 29 3/8"

Width (B) 10 5/16" Thickness 1 1/8"

Inlet No. 8 (3/4"-16) Male O-Ring

Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1517011



Length (A) 31"

Width (B) 33 5/32"

Thickness 1 1/4"

Inlet No. 8 (3/4"-16) Male O-Ring

Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1517012



Length (A) N/A

Width (B) N/A

Thickness N/A

Inlet N/A

Outlet N/A

Part No. 1518001



Length (A) 27 1/4"

Width (B) 14 3/4"

Thickness 3/4"

Inlet No. 8 (3/4"-16) Male O-Ring

Part No. 1518005



Length (A) 29

Width (B) 15

Thickness 7/8

Inlet N/A Outlet N/A

Part No. 1518006




Length (A) 36

Width (B) 15

Thickness 7/8

Inlet N/A Outlet N/A






Length (A) 33"

Width (B) 9"

Thickness 1 3/4"

Inlet No. 8 (3/4"-16) Male O-Ring

Outlet No. 6 (5/8"-18) Male O-Ring





Part No. 1518008 Length (A) 26 1/4 Width (B) 14 1/2 Thickness 1 Inlet N/A Outlet N/A



Part No. 1518009

Part No. 1518014

Part No. 1518017

Length (A) 26 1/4 Width (B) 15 Thickness 1 3/8 Inlet N/A Outlet N/A



Part No. 1518010


Part No. 1518015

Width (B) 16 1/4" Thickness 7/8" Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring


Part No. 1518011



Length (A) N/A Width (B) N/A Thickness N/A Inlet N/A Outlet N/A



Length (A) 29" Width (B) 15" Thickness 3/4" Inlet Male O-Ring Outlet Male O-Ring




Length (A) 29" Width (B) 15" Thickness 3/4" Inlet Male O-Ring Outlet Male O-Ring

Part No. 1575001

Part No. 1518016



Length (A) 38" Width (B) 8" Thickness 1 3/8" Inlet Male O-Ring Outlet Male O-Ring



Length (A) 33 1/2" Width (B) 9" Thickness 1" Inlet Male O-Ring Outlet Male O-Ring

Part No. 1575003



Length (A) 23 51/64" Width (B) 14 45/64" Thickness 3/4" Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1575004

Part No. 1575002



Length (A) 29 51/64" Width (B) 13 19/32" Thickness 3/4" Inlet N/A Outlet N/A



Length (A) 35 51/64" Width (B) 11 1/2" Thickness 3/4" Inlet N/A Outlet N/A



Length (A) 29 41/64" Width (B) 10" Thickness 3" Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring



Part No. 1575005



Length (A) 20" Width (B) 18 3/32" Thickness 1 3/32" Inlet N/A Outlet N/A

Part No. 1575006



Length (A) 32 51/64" Width (B) 9 13/32" Thickness 2" Inlet N/A Outlet N/A

Part No. 1575007



Length (A) 23 1/2" Width (B) 12" Thickness 1 1/2"

Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1575010

Part No. 1575008



Length (A) 23 51/64"

Width (B) 9" Thickness 2 5/8"

> Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring



Length (A) 23 15/16" Width (B) 8 1/8" Thickness 1 7/8"

> Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1575009



Length (A) 45" Width (B) 10"

Thickness 6 31/64"

Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring


Part No. 1575013



Length (A) 29 1/2" Width (B) 20 1/3" Thickness 2 1/4"

> Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1575017



Length (A) 20" Width (B) 14"

Thickness 1 47/64"

Outlet No. 6 (5/8"-18) Male O-Ring



Inlet No. 8 (3/4"-16) Male O-Ring

Part No. 1599001



Length (A) 32 1/4" Width (B) 16 7/8"

Thickness 1" Inlet N/A Outlet N/A

Part No. 1599002



Length (A) 27 1/4" Width (B) 14 3/4"

Thickness 3/4" Inlet Male O-Ring Outlet Male O-Ring

Part No. 1599003



Length (A) 24 7/16"

Width (B) 14 1/8" Thickness 1"

> Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Α В



Length (A) 36"

Width (B) 20"

Thickness 2 1/4"

Inlet N/A

Outlet N/A



Length (A) 29 3/4"

Width (B) 15 3/4"

Thickness 3/4"

Inlet No. 8 (3/4"-16) Male O-Ring

Part No. 1599008

Part No. 1599005

Outlet No. 6 (5/8"-18) Male O-Ring



Length (A) 23 15/16"

Width (B) 6 1/2"


Thickness 2"

Inlet No. 8 (3/4"-16) Male O-Ring

Outlet No. 6 (5/8"-18) Male O-Ring

Part No. 1599007

Part No. 1599004



Length (A) 28 51/64"

Width (B) 28 45/64"

Thickness 1 3/32"

Inlet No. 8 (3/4"-16) Male O-Ring Outlet No. 6 (5/8"-18) Male O-Ring

Length (A) 32 11/16" Width (B) 17 7/8"

Thickness 1 3/8"

Inlet No. 10 Hose Barbed

Outlet 11/16" Male InvertedThread

Part No. 1599011

Part No. 1599009

Part No. 1599006



Length (A) 29 51/64"


Width (B) 19 51/64"

Thickness 27/32"

Inlet 1/2" Male O-Ring

Outlet 3/8" Male O-Ring

Part No. 1599010



Length (A) 30 1/4"

Width (B) 9"

Thickness 2 19/32"

Inlet No. 8 (3/4"-16) Male O-Ring

Outlet No. 6 (5/8"-18) Male O-Ring






Length (A) 27"

Width (B) 20"

Thickness 1 1/2"

Inlet Male O-Ring

Outlet Male O-Ring











Condenser Specifications

Condenser Coil Specifications

| Length (A) | Width (B) | Thickness | Inlet | Outlet | Part No. |
|--------------------|------------|-----------|-----------------------------|-----------------------------|----------|
| 28 1/2" | 15 1/2" | 1" | N/A | N/A | 1510001 |
| 28" | 16" | 1 1/8" | N/A | N/A | 1510002 |
| 28 1/2" | 16" | 1 1/8" | N/A | N/A | 1510003 |
| 28 1/2" | 16" | 1 1/8" | N/A | N/A | 1510004 |
| 26 3/4" | 16" | 1 3/8" | N/A | N/A | 1510005 |
| 31 1/2" | 14" | 1 1/2" | N/A | N/A | 1510006 |
| 26 3/8" | 14" | 1 1/4" | N/A | N/A | 1510007 |
| 26 3/8" | 14" | 1 1/4" | N/A | N/A | 1510008 |
| 26 1/4" | 14" | 1 1/8" | N/A | N/A | 1510009 |
| 26 1/2" | 14" | 1 3/8" | N/A | N/A | 1510010 |
| N/A | N/A | N/A | N/A | N/A | 1510011 |
| 36 1/2" | 22" | 3/4" | Male O-Ring | Male O-Ring | 1510013 |
| 36 1/2" | 22" | 3/4" | Male O-Ring | Male O-Ring | 1510014 |
| 24" | 18" | 1 3/8" | Male O-Ring | Male O-Ring | 1510015 |
| 25" | 16" | 1" | Male O-Ring | Male O-Ring | 1510016 |
| 27" | 17 1/4" | 1 1/4" | N/A | N/A | 1511001 |
| 24 3/4" | 17 1/2" | 1" | N/A | N/A | 1511002 |
| 31 1/2" | 25 3/4" | N/A | Male O-Ring | Male O-Ring | 1511004 |
| 27" | 22" | 1" | Male O-Ring | Male O-Ring | 1511005 |
| 26 1/2" | 21" | 1" | No. 8 Female Spring Lock | No. 8 Female Spring Lock | 1511006 |
| 32" | 22" | 3/4" | Male O-Ring | Male O-Ring | 1511008 |
| 32" | 22" | 3/4" | Female O-Ring | Female O-Ring | 1511009 |
| 32" | 22" | 3/4" | Female O-Ring | Female O-Ring | 1511010 |
| 24 3/4" | 32" | 1" | Male O-Ring | Male O-Ring | 1511010 |
| 29" | 19 3/4" | 1" | Male O-Ring | Male O-Ring | 1511011 |
| 21" | 18" | 1" | N/A | N/A | 1511012 |
| 29" | 20" | 1" | Male O-Ring | Male O-Ring | 1511013 |
| 29 3/4" | 32 1/8" | 1" | Male O-Ring | Male O-Ring | 1511014 |
| 27 1/2" | 10" | N/A | N/A | N/A | 1511015 |
| 34" | 20" | 1" | N/A | N/A | |
| 24 1/2" | 15" | 1 3/8" | Male O-Ring | Male O-Ring | 1512003 |
| 24 1/2" 24 1/2" | 15" | 3/4" | Male O-Ring | Male O-Ring | 1512004 |
| | | 1" | • | <u> </u> | 1512006 |
| 29 1/4" N/A | 20" N/A | | Male O-Ring | Male O-Ring | 1512007 |
| N/A N/A | N/A | N/A | N/A | N/A | 1513001 |
| | N/A | N/A | N/A | N/A | 1513002 |
| 26" N/A | 27" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513004 |
| N/A | N/A | N/A | N/A | N/A | 1513005 |
| 30 1/2" | 27" | 29/32" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513007 |
| 27 1/2" | 24" | 1" | N/A | N/A | 1513008 |
| 28" | 25" | N/A | N/A | N/A | 1513010 |
| 29" | 24" | 1" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513011 |
| 28 1/2" | 26" | 1 1/2" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513012 |
| 27 1/4" | 22" | 1 1/2" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513013 |
| N/A | N/A | N/A | N/A | N/A | 1513014 |
| 31 3/8" | 24" | 7/8" | Male O-Ring | Male O-Ring | 1513017 |
| 28 3/4" | 16" | N/A | N/A | N/A | 1513018 |
| 36" | 22 1/2" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513019 |
| 29" | 26" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513020 |
| N/A | 16" | 1 1/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513021 |
| 36" | 22 1/2" | 1" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513022 |



Ross Air works



www.rossairworks.com p 800-290-9798

Condenser Specifications

Condenser Coil Specifications (continued)

| Length (A) | Width (B) | Thickness | Inlet | Outlet | Part No. |
|------------|-----------|-----------|-----------------------------|-----------------------------|----------|
| 29" | 27 3/4" | 1" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513024 |
| 27" | 28" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1513025 |
| 27" | 23" | 1" | Male O-Ring | Male O-Ring | 1513026 |
| 21 53/64" | 19 37/64" | 53/64" | PAD mount | PAD mount | 1513027 |
| 21 23/64" | 24 25/64" | 5/8" | PAD mount | PAD mount | 1513028 |
| 34 19/64" | 33 3/8" | 13/16" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514002 |
| 34 5/16" | 33 3/8" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514003 |
| 33 17/32" | 27 7/8" | 15/16" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514005 |
| 41 13/16" | 29" | 27/32" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514006 |
| 30 21/32" | 8 15/32" | 1 1/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514007 |
| 33 5/8" | 35 13/16" | 51/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514008 |
| 36 11/32" | 42 1/8" | 51/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514011 |
| 36 11/32" | 42 1/8" | 51/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514012 |
| 41 13/16" | 29" | 59/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514013 |
| 29 5/8" | 10 5/16" | 1 9/32" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514014 |
| 32 1/12" | 20 11/16" | 45/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514015 |
| 32 9/32" | 17 41/64" | 1 1/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514016 |
| 32 1/12" | 20 11/16" | 45/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514017 |
| 43 7/32" | 36" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514018 |
| 43 1/2" | 38 3/32" | 27/32" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514019 |
| 39 3/4" | 36 21/32" | 53/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514020 |
| 43 15/32" | 38 3/32" | 27/32" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1514021 |
| 31" | 23 3/4" | 3/4" | Block Fittings | Block Fittings | 1514022 |
| 6 1/2" | 39 1/2" | 1" | N/A | N/A | 1515002 |
| 24" | 25" | 1" | Male O-Ring | Male O-Ring | 1515003 |
| 28" | 23" | 1" | Male O-Ring | Male O-Ring | 1515004 |
| 32" | 8" | 1" | Male O-Ring | Male O-Ring | 1515008 |
| 24 1/2" | 9" | 2 5/8" | Male O-Ring | Male O-Ring | 1515009 |
| 28 1/4" | 8" | 1 3/8" | Male O-Ring | Male O-Ring | 1515010 |
| 48" | 33" | 3/4" | Male O-Ring | Male O-Ring | 1515011 |
| 31 1/2" | 8" | 1" | Male O-Ring | Male O-Ring | 1515012 |
| 39 7/8" | 32" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1517001 |
| 25" | 12 1/4" | 1 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1517003 |
| 18" | 27 3/16" | 2 1/4" | N/A | N/A | 1517004 |
| 31 5/8" | 8 19/32" | 13/16" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1517007 |
| 32 45/64" | 8 7/16" | 1 1/8" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1517008 |
| 29 3/8" | 10 5/16" | 1 1/8" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1517009 |
| 31" | 33 5/32" | 1 1/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1517011 |
| N/A | N/A | N/A | N/A | N/A | 1517012 |
| 27 1/4" | 14 3/4" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1518001 |
| 29" | 15" | 7/8" | N/A | N/A | 1518005 |
| 36" | 15" | 7/8" | N/A | N/A | 1518006 |
| 33" | 9" | 1 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1518007 |
| 26 1/4" | 14 1/2" | 1" | N/A | N/A | 1518008 |
| 26 1/4" | 15" | 1 3/8" | N/A | N/A | 1518009 |
| 37" | 16 1/4" | 7/8" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1518010 |
| N/A | N/A | N/A | N/A | N/A | 1518011 |
| 29" | 15" | 3/4" | Male O-Ring | Male O-Ring | 1518014 |
| 29" | 15" | 3/4" | Male O-Ring | Male O-Ring | 1518015 |
| 38" | 8" | 1 3/8" | Male O-Ring | Male O-Ring | 1518016 |
| 33 1/2" | 9" | 1" | Male O-Ring | Male O-Ring | 1518017 |








Condenser Specifications

Condenser Coil Specifications (continued)

| Length (A) | Width (B) | Thickness | Inlet | Outlet | Part No. |
|------------|-----------|-----------|-----------------------------|-----------------------------|----------|
| 23 51/64" | 14 45/64" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575001 |
| 29 51/64" | 13 19/32" | 3/4" | N/A | N/A | 1575002 |
| 35 51/64" | 11 1/2" | 3/4" | N/A | N/A | 1575003 |
| 29 41/64" | 10" | 3" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575004 |
| 20" | 18 3/32" | 1 3/32" | N/A | N/A | 1575005 |
| 32 51/64" | 9 13/32" | 2" | N/A | N/A | 1575006 |
| 23 1/2" | 12" | 1 1/2" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575007 |
| 23 51/64" | 9" | 2 5/8" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575008 |
| 23 15/16" | 8 1/8" | 1 7/8" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575009 |
| 45" | 10" | 6 31/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575010 |
| 29 1/2" | 20 1/3" | 2 1/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575013 |
| 40 61/64" | 26 5/8" | 2 1/4" | N/A | N/A | 1575014 |
| 20" | 14" | 1 47/64" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575017 |
| 32 1/4" | 16 7/8" | 1" | N/A | N/A | 1599001 |
| 27 1/4" | 14 3/4" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1599002 |
| 24 7/16" | 14 1/8" | 1" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1599003 |
| 36" | 20" | 2 1/4" | N/A | N/A | 1599004 |
| 29 3/4" | 15 3/4" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1599005 |
| 23 15/16" | 6 1/2" | 2" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1599006 |
| 28 51/64" | 28 45/64" | 1 3/32" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1599007 |
| 32 11/16" | 17 7/8" | 1 3/8" | No. 10 Hose Barbed | 11/16" Male Inverted Thread | 1599008 |
| 29 51/64" | 19 51/64" | 27/32" | 1/2" Male O-Ring | 3/8" Male O-Ring | 1599009 |
| 30 1/4" | 9" | 2 19/32" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1599010 |
| 27" | 20" | 1 1/2" | Male O-Ring | Male O-Ring | 1599011 |



Universal Condenser Coil Options

| Length (A) | Width (B) | Thickness | Inlet | Outlet | Part No. |
|------------|-----------|-----------|-----------------------------|-----------------------------|----------|
| 27" | 14 3/4" | .89" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1518001 |
| 23.8" | 15.7" | | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575001 |
| 29.8" | 13.6" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575002 |
| 35.8" | 11.5" | | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575003 |
| 20" | 18.1" | 1.09" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575005 |
| 32.8" | 9.4" | 2" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1575011 |
| 29.8" | 15.2" | 3/4" | No. 8 (3/4"-16) Male O-Ring | No. 6 (5/8"-18) Male O-Ring | 1599005 |







Ross Air works www.rossairworks.com p 800-290-9798

Multi-Flow Condensers

Multi-Flow Condensers


The Multi-Flow design was created to make a very efficient condensing unit in a compact yet sturdy package. The first all-aluminum multi-flow condenser provides quality and innovation that marked the initial launch of this remarkable product. All the multi-flow condensers are USA made with all the skill and quality of American labor and materials under exacting quality and performance standards.


- 22mm design Gives you 33% more capacity when compared to traditional 16mm condenser of the same length and width
- Thin Cross Tube Profile Decrease air resistance for improved engine cooling
- · Louvered Fins designed to provide heat transfer due to improved airflow
- Patented End Tanks manufactured from a specially designed one-piece extrusion for extra strength and durability
- Zinc Coating on the fins and cross flow tubes to improve corrosion resistance and maintain superior heat exchange capability
- **Nocolok Oven Brazing** Patented process in which all aluminum parts are oven brazed to create homogenous assembly with joints that are leak free and reliable
- Unitized construction A special fin support plate at the top and bottom bolsters structural integrity
- · Pre-punched side mounting flanges for mounting ease and flexibility



Flexible and Rugged

The compact design, high-heat transfer capability and side mounting flanges combine to make a very versatile unit to fit a wide variety of applications. Since one unit can fit a variety of vehicles, your inventory investment can go way down and still maintain more than adequate coverage. The performance of this condenser also offers advantages in terms of cooling capability over an equivalent size drop-in replacement given the same operating conditions. The robust contruction ensures that the unit will stay on the vehicle for years in good operating condition with no "come-backs" to worry about.







Multi-Flow Condenser Coil Specifications

| Length (A) | Width (B) | Thickness | Inlet | Outlet | Configuration | Part No. |
|------------|-----------|-----------|--------------------|--------------------|---------------|----------|
| 25 3/4" | 10 23/32" | 55/64" | 3/4-16 Male O-Ring | 5/8-18 Male O-Ring | S | 1599012 |
| 21 3/4" | 11 31/32" | 55/64" | 3/4-16 Male O-Ring | 5/8-18 Male O-Ring | S | 1599013 |
| 21 3/4" | 13 31/32" | 55/64" | 3/4-16 Male O-Ring | 5/8-18 Male O-Ring | S | 1599014 |
| 29 19/32" | 15 17/32" | 55/64" | 3/4-16 Male O-Ring | 5/8-18 Male O-Ring | S | 1599015 |
| 29 19/32" | 19 35/64" | 55/64" | 3/4-16 Male O-Ring | 5/8-18 Male O-Ring | S | 1599016 |
| 25 3/4" | 12" | 55/64" | 3/4-16 Male O-Ring | 5/8-18 Male O-Ring | S | 1599101 |
| 25 3/4" | 13 31/32" | 55/64" | 3/4-16 Male O-Ring | 5/8-18 Male O-Ring | S | 1599102 |



0000 0000

Multi-Flow Condenser Brackets

| Description | Part No. |
|---|----------|
| UNIVERSAL BRACKET FOR MULTI-FLOW CONDENSERS | 3499019 |



Mounting Hardware

Mounting Hardware



Typical Header Types

Type 1 Type 3 Type 4 Type 2 **SERPENTINE TUBE AND FIN GRILLDENSER PARALLEL FLOW**

Continuous extruded aluminum tube, 3/4 to 2 inches thick. The fin is either Skyve type or vacuum brazed ribbon type spaced approximately 14 fins per inch. High heat rejection, compact size exact OEM replacements.


Constructed with .008 thick aluminum corrugated fin 3/4 to 2 1/2 inches thick. Fin spacing at 10 to 12 fins per inch providing maximum heat rejection. Tubes are either copper or aluminum.

Constructed with .030 to .050 thick aluminum, fins are 3/4 inch thick. Fins are spaced at 2 to 4 fins per inch providing minimal air flow restriction. Tubes are either .035 inches wall aluminum or .022 inches wall copper.

Constructed with tube assemblies connecting to a common tank at both ends of the condenser. Commonly found in smaller, newer R-134a vehicles with limited air flow. Offers superior heat rejection.

Service Tips

The condenser and evaporator are both designed to exchange heat. Heat is removed from the Cab by the evaporator and released outside the Cab by the condenser.



Condenser

| C | Condenser Coil Service Tips |
|--|--|
| Condenser Location | The condenser is located on the high-pressure side of the system, while the evaporator is located on the low-pressure side. |
| Coil Fins | Make sure the coil fins are clean and free of debris and obstructions. |
| Inspect for Damage | Inspect for abrasions or damaged tubing. Straighten bent fins with fin comb. |
| Operating Temperature | With the system running the evaporator will be cold to touch while the condenser will be hot to touch. |
| Ensure Operability | Ensure the condenser fan is operable. |
| Temperature Change — Inlet to Outlet | The condenser will produce (5° - 15°C) temperature decreases from inlet to outlet, while the evaporator will return slight temperature increases from inlet to outlet. |







Part No. 1015004

| Speed: | N/A | A: | 9" |
|-----------|-----|----|----------|
| Voltage: | 12 | B: | 9 11/16" |
| Rotation: | CW | C: | 5 15/32" |
| Vent: | N/A | D: | 8 7/64" |
| | | E: | 2 19/64" |

Part No. 1015008



| Speed: | N/A | A: | 10" |
|-----------|-----|----|-----------|
| Voltage: | 12 | B: | 10 7/32" |
| Rotation: | N/A | C: | 10 21/32" |
| Vent: | N/A | D: | 5 1/8" |
| | | E: | 2 1/2" |

Part No. 1075021




| Speed: | N/A | A: | 16" |
|-----------|-----|----|-----------|
| Voltage: | 12 | B: | 16 3/4" |
| Rotation: | CCW | C: | 16 27/64" |
| Mount: | N/A | D: | 8 7/64" |
| Vent: | N/A | E: | 3 13/16" |

Part No. 1075022




| Speed: | N/A | A: | 9" |
|-----------|-----|----|----------|
| Voltage: | 12 | B: | 9 11/16" |
| Rotation: | CW | C: | 5 15/32" |
| Mount: | N/A | D: | 8 7/64" |
| Vent: | N/A | E: | 2 19/64" |


Part No. 1099082




| Speed: | N/A | A: | 12 37/64" |
|-----------|-----|----|-----------|
| Voltage: | N/A | B: | 13 7/32" |
| Rotation: | CCW | C: | 6 41/64" |
| Mount: | N/A | D: | 11 1/2" |
| Vent: | N/A | E: | 1 13/16" |

Part No. 4399002









Condenser Fan Specifications

| Speed | Voltage | Rotation | Mount | Α | В | С | D | Dia. | Vent | Part No. |
|-------|---------|----------|-----------------------|-----------|----------|-----------|---------|----------|------|----------|
| N/A | 12 | CW | W/Shrd & Fan | 9" | 9 11/16" | 5 15/32" | 8 7/64" | 2 19/64" | N/A | 1015004 |
| N/A | 12 | N/A | Condenser Fan Assy | 10" | 10 7/32" | 10 21/32" | 5 1/8" | 2 1/2" | N/A | 1015008 |
| N/A | 12 | CCW | Condenser Fan Assy | 16" | 16 3/4" | 16 27/64" | 8 7/64" | 3 13/16" | N/A | 1075021 |
| N/A | 12 | CW | Condenser Fan Assy | 9" | 9 11/16" | 5 15/32" | 8 7/64" | 2 19/64" | N/A | 1075022 |
| N/A | N/A | CCW | Condenser Fan Assy | 12 37/64" | 13 7/32" | 6 41/64" | 11 1/2" | 1 13/16" | N/A | 1099082 |



